




*Give life to your project*


## Plank Perforations

## Perforation Options


### Diameter 2 mm




For width: 300  
Perforation area: regular  
Inter-axes: 5x5 mm  
Perforation surface: 11% approx.




For width: 100 - 150 - 200  
Perforation area: regular  
Inter-axes: 4x7 mm  
Perforation surface: 11% approx.




For width: 100 - 150 - 200  
Perforation area: regular  
Inter-axes: 8x7 mm  
Perforation surface: 5% approx.




For width: 300  
Perforation area: regular  
Inter-axes: 10x10 mm  
Perforation surface: 5,5% approx.



For width: 300  
Perforation area: diagonal  
Inter-axes: 5x5 mm  
Perforation surface: 22% approx.




For width: 100 - 150 - 200  
Perforation area: diagonal  
Inter-axes: 4x7 mm  
Perforation surface: 22% approx.




For width: 300  
Perforation area: diagonal  
Inter-axes: 10x10 mm  
Perforation surface: 11% approx.


### Diameter 3 mm




For width: 300  
Perforation area: regular  
Inter-axes: 10x10 mm  
Perforation surface: 7% approx.




For width: 100 - 150 - 200  
Perforation area: regular  
Inter-axes: 10x6 mm  
Perforation surface: 11% approx.




Diameter: 3 mm  
Perforation area: diagonal  
Inter-axes: 5x8.7 mm  
Perforation surface: 32% approx.



For width: 100 - 150 - 200  
Perforation area: regular  
Inter-axes: 10x12 mm  
Perforation surface: 5% approx.




For width: 300  
Perforation area: diagonal  
Inter-axes: 10x10 mm  
Perforation surface: 14% approx.




For width: 100 - 150 - 200  
Perforation area: diagonal  
Inter-axes: 10x6 mm  
Perforation surface: 23% approx.

## Perforation Options


### Various




**EXTRA MICRO PERFORATION**  
 Diameter: 0.7 mm  
 Perforation area: regular  
 Inter-axes: 5x5 mm  
 For width: 100 - 150 - 200 - 300  
 Perforation surface: 1% approx.




**MICRO PERFORATION**  
 Diameter: 1.5 mm  
 Perforation area: regular  
 Inter-axes: 4x4 mm  
 For width: 100 - 150 - 200 - 300  
 Perforation surface: 11% approx.




**MICRO PERFORATION**  
 Diameter: 1.5 mm  
 Perforation area: diagonal  
 Inter-axes: 4x4 mm  
 For width: 100 - 150 - 200 - 300  
 Perforation surface: 22% approx.




Diameter: 2.5 mm  
 Perforation area: regular  
 Inter-axes: 5.5x5.5 mm  
 For width: 100 - 150 - 200 - 300  
 Perforation surface: 16% approx.




Hole: 5x5 mm  
 Perforation area: square  
 Inter-axes: 8x8 mm  
 For width: 100 - 150 - 200 - 300  
 Perforation surface: 40% approx.



Diameter: 2 mm  
 Perforation area: diagonal  
 Inter-axes: 5.655x5.655 mm  
 Perforation surface: 20% approx.



Diameter: 2.5 mm  
 Perforation area: diagonal  
 Inter-axes: 4.3x7.5 mm  
 Perforation surface: 30% approx.



Diameter: 4.5mm  
 Perforation area: regular  
 Inter-axes: 7.27x7.27 mm  
 Perforation surface: 30% approx.

## General informations

### Normes Techniques

All Profilsystem products are CE marked according to EN 13964. They are also accompanied by the Declaration of Performance (D.O.P.) as required by European regulation 305/11 concerning the placing of construction products on the market.

For applications in particularly aggressive environments such as swimming pools, industrial installations with chemical and / or corrosive fumes, check the most suitable material and surface treatment with the technical or commercial office of Profilsystem.

### Storage

All products are carefully packed and placed on special pallets and secured by strapping and film wrapping. On request we can provide the package complete of cardboard corners, bubble wrap and polystyrene to reduce the risks during transport.

It is always recommended to handle all packaging with the most care, avoiding shocks and practices that damage the contents. The packed material is stored in closed, clean and dry places until the time of pic-up.

Do not expose filmed products to heat sources and do not leave them under the sun.

### Installation

The metal ceiling are installed manually by the installer depending on the type and model you choose.

The material should be stored in closed, clean and dry places until the time of installation.

Do not rest on the ground and not leave the products on site without the original package issued at the time of delivery.

Avoid the contact between material and water, solvents, degreasers and aggressive liquids.

### Cleaning and Maintenance

Metal ceilings, thank to the easy washing and cleaning are also a guarantee in terms of hygiene.

To remove dust, stains or smudges you can use carefully a clean, dry cloth or moistened with neutral detergent, or non-abrasive and non-aggressive disinfectants.

## ITALY

### Head quarter & showroom

Via Don Luigi Sturzo,3 - 20822 Seveso (MB) Italy  
tel: +39 0362 625652 - fax: +39 0362 306733  
[www.profilsystem.com](http://www.profilsystem.com)

## DUBAI

### Sales offices & showroom

TOP 27 CONSULTING JLT  
Office 3205 - JBC2  
Cluster V - JLT  
Dubai - United Arab Emirates  
[middleeast@profilsystem.com](mailto:middleeast@profilsystem.com)

## CHILE

### Sales offices & showroom

COMERCIAL E.V.A. Limitada  
Avenida La Dehesa 1844  
Ufficio 714  
Lo Barnechea, Santiago de Chile  
tel: +59 9 51599037  
[info@nenzi.cl](mailto:info@nenzi.cl)

## SPAGNA

### Sales offices & showroom

PROFILSYSTEM EPC  
Techos de Aluminio  
C/ Lluís Companys, 52  
08810 Sant Pere de Ribes, Barcelona  
tel: +34 666 431 921  
[info@profilsystem.es](mailto:info@profilsystem.es)

## Our offices are at your disposal

### SALES OFFICE ITALY:

Elis Zappino  
[elis@profilsystem.com](mailto:elis@profilsystem.com)  
Skype ID elis.zappino

Dott. Riccardo Ghezzi  
[riccardo@profilsystem.com](mailto:riccardo@profilsystem.com)  
Skype ID ghezzi riccardo

### EXPORT OFFICE:

Dott. Alexa Maj  
[export@profilsystem.com](mailto:export@profilsystem.com)  
Skype ID Alexa Maj

### TECHNICAL OFFICE:

Arch. Manuela De Cristofaro  
[tecnico@profilsystem.com](mailto:tecnico@profilsystem.com)  
Skype ID Manuela De Cristofaro

### SHIPPING OFFICE:

Chiara Talon  
[chiara.talon@profilsystem.com](mailto:chiara.talon@profilsystem.com)  
Skype ID talon.chiara